

Date: 09/16/26 **Run:** 1 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 2 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 3 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 4 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 5 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally. These boxes represent the bulkhead flaps on a trailer that need to be marked for single temperature trailer loads.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 6 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 7 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 8 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 9 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 10 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 11 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 12 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 13 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 14 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 15 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 16 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 17 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 18 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 19 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 20 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 4	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 5	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 6	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 7	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 8	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 9	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 10	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 11	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 12	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 13	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 14	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 15	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 16	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 17	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 18	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 19	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 20	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 21	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Created
Bread (Ambient)			
Stop 22	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 21 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 22 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 23 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 24 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 25 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 26 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally. These boxes represent the bulkhead flaps on a trailer that need to be marked for single temperature loads.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 27 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 28 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 29 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 30 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally. These boxes represent the bulkhead flaps on a trailer that need to be marked for single temperature trailer loads.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 31 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 32 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 33 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			
☐	☐	☐	☐

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 34 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 35 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 36 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 37 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 38 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 39 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 40 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

--

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 41 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer that need to be marked for single temperature trailer loads.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 42 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally. These boxes represent the bulkhead flaps on a trailer that need to be marked for single temperature loads.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 43 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 44 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 45 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 46 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 47 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 48 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 49 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 50 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally. These boxes represent the bulkhead flaps on a trailer that need to be marked for single temperature loads.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 51 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 52 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 53 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 54 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

--	--

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 55 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 56 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/16/26 **Run:** 57 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**