

Date: 09/18/26 **Run:** 1 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 2 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 3 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 4 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 5 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 6 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 7 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 8 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 9 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 10 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 11 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 12 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 13 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 14 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 15 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 16 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 17 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 18 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			
☐	☐	☐	☐

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 19 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 20 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 21 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 22 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 23 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 24 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

--

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 25 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

--

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 26 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer that need to be marked for single temperature trailer loads.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 27 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 28 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 29 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

--	--

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 30 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer that need to be marked for single temperature trailer loads.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 31 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 32 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 33 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 34 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 35 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			
☐	☐	☐	☐

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 36 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 37 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 38 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally. These boxes represent the bulkhead flaps that need to be marked on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 39 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 40 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 41 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 42 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 43 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 44 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer that need to be marked for single temperature trailer loads.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 45 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 46 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 47 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 48 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 49 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 50 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 51 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 52 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 53 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 54 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 55 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

--

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 56 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletized items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 Run: 57 Door: _____ Trailer: _____
 Loader: _____ WOI: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

[illegible]**Sanitary Transport Requirements (Loader circle Yes or No):**

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 58 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps			

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 59 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

Driver (Carrier Input):

[illegible]

Loader Initials

Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

--	--	--	--

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 60 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 09/18/26 **Run:** 61 **Door:** _____ **Trailer:** _____
Loader: _____ **WOL:** _____ **Loaded Temp:** _____ **Fuel Level:** _____

[illegible]

Loader Initials	
	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	Loader	Driver	Store
Total			
Frozen			
Chiller			
Ambient			PLBs Created
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)			
Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:
Consolidations must be completed on-system,
when possible, to ensure the oLPN count
matches the physical number of pallets.

Loading Order		
Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics	
Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

The diagram consists of four identical, empty rectangular boxes arranged horizontally in a single row. These boxes represent the bulkhead flaps on a trailer.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer*: FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, *CHL ONLY Load*= 33° F; *Multi-temp trailer*: FRZ Zone= -10°, *CHL Zone*= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palletted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**