Date: 11/20/26 Run: 1 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 2 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 3 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 4 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 5 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 6 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 7 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 8 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 9 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 10 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 11 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 12 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 13 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 14 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 15 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 16 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 17 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 18 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 19 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 20 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 21 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 22 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 23 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 24 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 25 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 26 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 27 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 28 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 29 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 30 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 31 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 32 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 33 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 34 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 35 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 36 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 37 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 38 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 39 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 40 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 41 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 42 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 43 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 44 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 45 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 46 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 47 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 48 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 49 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 50 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 51 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 52 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 53 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 54 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input): _____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 55 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 56 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 57 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 58 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 59 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 60 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 61 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 62 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 63 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 64 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**

Date: 11/20/26 Run: 65 Door: _____ Trailer: _____

Loader: _____ WOL: _____ Loaded Temp: _____ Fuel Level: _____

Driver (Carrier Input):

_____

Area	Nose		Area

Loader Initials

	Draw lines on the trailer diagram where bulkheads are placed.

Stop 1	Loader	Driver	Store
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 2	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			
Stop 3	**Loader**	**Driver**	**Store**
Total			
Frozen			
Chiller			PLBs Created
Ambient			
Eggs (Chiller)			PLBs Loaded
Bread (Ambient)			

Total Truck Pallet Count Summary (WOL Input)

Total		# of Stops	
Frozen		PLBs Created	
Chiller		PLBs Loaded	
Ambient		Off-System Consolidations	
Eggs (Chiller)		Equipment	
Bread (Ambient)		Other Racks (i.e. Flowers)	
# of oLPNs (Shipments UI)		WOL Completion Initials	

Loading Reminder:

Consolidations must be completed on-system, when possible, to ensure the oLPN count matches the physical number of pallets.

Loading Order

Pallet Type	Temp Zone	Letter
Freezer	Frozen	F
Fresh Meat	Chiller	M
Cooler	Chiller	C
Cooler Produce	Chiller	P
Eggs	Chiller	E
Dry Produce/55 Degree	Ambient	DP
Dry Grocery	Ambient	A
Tray Bread	Ambient	B
Flower Rack	Ambient	FL

DPR Metrics

Rewraps:	
Rebuilds:	
Consolidations:	

Bulkhead Flaps

For Single Temp Trailer Loads, mark all bulkhead flaps that are closed between FRZ and CHL zones.

Loader/Driver Notes

Sanitary Transport Requirements (Loader circle Yes or No):

- Have you set the trailer temperature to the correct setpoint and confirmed trailer is properly cooling? (*Single-temp trailer:* FRZ Load = -10° F from 4/1 to 11/30 & -2° F from 12/1 to 3/31, CHL ONLY Load= 33° F; *Multi-temp trailer:* FRZ Zone= -10° , CHL Zone= 33° F) **Yes/No**
- Is the trailer in good condition? (Check for holes, debris on floor, bad odors, and damage to ceiling, bulkhead, walls, seals, etc.) **Yes/No**
- After loading, confirm pallets are stable and that non-palleted items such as eggs or miscellaneous equipment are properly secured? **Yes/No**
- Are bulkheads set with air flow established through vents between CHL & FRZ? **Yes/No**